

WE ARE INTRODUCING:



BEVELTOOLS INOX



WE ARE INTRODUCING:

A COMPLETE SOLUTION FOR ROUNDING AND BEVELING STAINLESS STEEL



See video: <https://youtu.be/xzcGXhi8MCs>



Bevel Mate® EBA INOX



Special Specs:

Low RPM

1100 – 3600 rpm

More Power

1200W

Vibration demping



In flange head

Max depth and radius

8mm and radius 6mm



Tests on location: CIG project ongoing to 9/2023 – FENIX II



Test results: 30° depth 4mm

Start: EBA 3.0 + 30-08-v3.0

≈ 18-30m

EBA INOX + 30-08-v3.0

≈ 30-40m

EBA INOX + 30-08-INOX

≈ 90-130m



Bevel Mite® EBI INOX



Special Specs:

Low RPM

2700 - 6000 rpm

More Power

600W

Max depth and radius

6mm and radius 4mm



Bevel Mite® ABIS INOX



Special Specs:

Low RPM

Max 6000 rpm

More Power

820W

Max depth and radius

6mm and radius 4mm



INOX Angled & Radius Cutters



INOX Cutters have in some cases different geometry
INOX Cutters have a different coating
INOX Cutters available in select variations

BevelMite®



BevelMate®



6mm: 30°, 45°, R2, R3 & R4

8mm: 30°, 37°, 45°, R2, R3, R4 & R6